

ICD-10 CM Updates

The [Centers for Medicare and Medicaid Services](#) published [ICD-10 CM updates](#) effective **October 1st, 2023** through **September 30th, 2024**. Several new codes and changes were made in Chapter 2 (Neoplasms), Chapter 3 (Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism), and Chapter 21 (Factors influencing health status and contact with health services).

A full list of changes can be found in the “Addendum” files on [the ICD-10 CM updates page](#). Questions about ICD-10 CM codes may be sent to ASCO at practice@asco.org.

Guidelines

Z08 Encounter for follow up examination after completed treatment for malignant neoplasm and Z09 Encounter for follow up examination after completed treatment for conditions other than malignant neoplasm may be assigned following any type of treatment modality. This includes both medical and surgical treatments.

For the purposes of reporting other/additional diagnoses, the definition of “other diagnoses” is considered additional “**clinically significant**” conditions that affect patient care in terms of requiring clinical evaluation, therapeutic treatment, diagnostic procedures, extended length of hospital stay, or increased nursing care and/or monitoring.

ICD-10 CM Code Set

Additions

| Reference Code Family | New/Added Codes |
|--|--|
| D13.9 Benign neoplasm of ill-defined sites within the digestive system | D13.91 Familial adenomatous polyposis Code also associated conditions, such as: Benign neoplasm of colon (D12.6) Malignant neoplasm of colon (C18.-) D13.99 Benign neoplasm of ill-defined sites within the digestive system Benign neoplasm of digestive system NOS Benign neoplasm of intestine NOS Benign neoplasm of spleen |
| D48.1 Neoplasm of uncertain behavior of connective and other soft tissue | D48.11 Desmoid tumor D48.110 Desmoid tumor of head and neck D48.112 Desmoid tumor of chest wall D48.113 Desmoid tumor of abdominal wall D48.114 Desmoid tumor, intraabdominal Desmoid tumor of pelvic cavity Desmoid tumor, peritoneal, retroperitoneal |

| | |
|--|---|
| | <p>D48.115 Desmoid tumor of upper extremity and shoulder girdle</p> <p>D48.116 Desmoid tumor of lower extremity and pelvic girdle</p> <p>Desmoid tumor of buttock</p> <p>D48.118 Desmoid tumor of back</p> <p>D48.119 Desmoid tumor of unspecified site</p> <p>D48.19 Other specified neoplasm of uncertain behavior of connective and other soft tissue</p> |
| D57 Sickle-cell disorders | <p>D57.04 Hb-SS disease with dactylitis</p> <p>D57.214 Sickle-cell/Hb-C disease with dactylitis</p> <p>D57.414 Sickle-cell thalassemia, unspecified, with dactylitis</p> <p>D47.434 Sickle-cell thalassemia beta zero with dactylitis</p> <p>D57.454 Sickle-cell thalassemia beta plus with dactylitis</p> <p>D57.814 Other sickle-cell disorders with dactylitis</p> |
| D61.0 Constitutional aplastic anemia | <p>D61.02 Shwachman-Diamond syndrome</p> <p>Code also, if applicable, associated conditions such as:</p> <p>Acute myeloblastic leukemia (C92.0-)</p> <p>Exocrine pancreatic insufficiency (K86.81)</p> <p>Myelodysplastic syndrome (D46.-)</p> <p>Use additional code, if applicable, for genetic susceptibility to other malignant neoplasm (Z15.09)</p> |
| D89.8 Other specified disorders involving the immune mechanism, not elsewhere classified | <p>D89.84 IgG4-related disease</p> <p>Immunoglobulin G4-related disease</p> |
| E88 Other and unspecified metabolic disorders | <p>E88.A Wasting disease (syndrome) due to underlying condition</p> <p>Cachexia due to underlying condition</p> <p>Code first underlying condition</p> <p>Excludes 1: cachexia NOS (R64)</p> <p>nutritional marasmus (E41)</p> <p>Excludes2: failure to thrive (R62.51, R62.7)</p> |
| R64 Cachexia Wasting syndrome | <p>R64 Cachexia</p> <p>Excludes1: cachexia due to underlying condition (E88.A)</p> |
| Code first underlying condition, if known | |
| Z91 Personal risk factors, not elsewhere classified | <p>Z91.A41 Caregiver's other noncompliance with patient's medication regimen due to financial hardship</p> |

| | |
|---|---|
| | <p>Z91.A48 Caregiver's other noncompliance with patient's medication regimen for other reason</p> <p>Z91.A51 Caregiver's noncompliance with patient's renal dialysis due to financial hardship</p> <p>Z91.A58 Caregiver's noncompliance with patient's renal dialysis for other reason</p> <p>Z91.A91 Caregiver's noncompliance with patient's other medical treatment and regimen due to financial hardship</p> <p>Z91.A98 Caregiver's noncompliance with patient's other medical treatment and regimen for other reason</p> |
| Z91.8 Other specified personal risk factors, not elsewhere classified | <p>Z91.85 Personal history of military service</p> <p>Excludes2: personal history of military deployment (Z91.82)</p> <p>Personal history of serving in the armed forces</p> <p>Personal history of veteran</p> |

Revisions and Updates

| Current Language | Revised Language |
|--|---|
| C92 Myeloid Leukemia | <i>Added language</i> Code also, if applicable, pancytopenia (D61.818) |
| C94.8 Other specified leukemias | <i>Added language</i> Code also, if applicable, eosinophilia (D72.18) |
| D12 Benign neoplasm of colon, rectum, anus and anal canal Excludes1: benign carcinoid tumors of the large intestine, and rectum (D3A.02-) Polyp of colon NOS (K63.5) | D12 Benign neoplasm of colon, rectum, anus and anal canal Excludes2: benign carcinoid tumors of the large intestine, and rectum (D3A.02-) Polyp of colon NOS (K63.5) |
| D37 Neoplasm of uncertain behavior of oral cavity and digestive organs Excludes1: stromal tumors of uncertain behavior of digestive system (D48.1) | D37 Neoplasm of uncertain behavior of oral cavity and digestive organs Excludes1: stromal tumors of uncertain behavior of digestive system (D48.1-) |
| D48.0 Neoplasm of uncertain behavior of bone and articular cartilage | D48.0 Neoplasm of uncertain behavior of bone and articular cartilage |

| | |
|--|---|
| Excludes1: neoplasm of uncertain behavior of cartilage of ear (D48.1) Neoplasm of uncertain behavior of connective tissue of eyelid (D48.1) Neoplasm of uncertain behavior of synovia (D48.1) | Excludes1: neoplasm of uncertain behavior of cartilage of ear (D48.1-) Neoplasm of uncertain behavior of connective tissue of eyelid (D48.1-) Neoplasm of uncertain behavior of synovia (D48.1-) |
| D48.7 Neoplasm of uncertain behavior of other specified sites Excludes1: neoplasm of uncertain behavior of connective tissue (D48.1) | D48.7 Neoplasm of uncertain behavior of other specified sites Excludes1: neoplasm of uncertain behavior of connective tissue (D48.1-) |
| D56 Other thalassemias Excludes 1: sickle-cell thalassemia (D57.4) | D56 Other thalassemias Excludes 1: sickle-cell thalassemia (D57.4-) |
| D57.0 Hb-SS disease with crisis Hb-SS disease with vasoocclusive pain D57.00 Hb-SS disease with crisis, unspecified Hb-SS disease with vasoocclusive pain NOS | D57.0 Hb-SS disease with crisis Hb-SS disease with (vaso-occlusive) pain D57.00 Hb-SS disease with crisis, unspecified Hb-SS disease with (vaso-occlusive) pain NOS |
| D57.5219 Sickle-cell/Hb-C disease with crisis, unspecified Sickle-cell/Hb-C disease with vasoocclusive pain NOS | D57.5219 Sickle-cell/Hb-C disease with crisis, unspecified Sickle-cell/Hb-C disease with (vaso-occlusive) pain NOS |
| D57.4 Sickle-cell thalassemia, unspecified, with crisis Sickle-cell thalassemia with vasoocclusive pain NOS D57.419 Sickle-cell thalassemia, unspecified, with crisis Sickle-cell thalassemia with vasoocclusive pain NOS | D57.4 Sickle-cell thalassemia, unspecified, with crisis Sickle-cell thalassemia with (vaso-occlusive) pain NOS D57.419 Sickle-cell thalassemia, unspecified with crisis Sickle-cell thalassemia with (vaso-occlusive) pain NOS |
| D57.439 Sickle-cell thalassemia, beta zero with crisis, unspecified Sickle-cell thalassemia beta zero with vasoocclusive pain NOS | D57.439 Sickle-cell thalassemia, beta zero with crisis, unspecified Sickle-cell thalassemia beta zero with (vaso-occlusive) pain NOS |

| | |
|--|---|
| D57.459 Sickle-cell thalassemia, beta plus with crisis, unspecified Sickle-cell thalassemia beta plus with vasoocclusive pain NOS | D57.459 Sickle-cell thalassemia, beta plus with crisis, unspecified Sickle-cell thalassemia beta plus with (vaso-occlusive) pain NOS |
| D57.819 Other sickle-cell disorders with crisis, unspecified Other sickle-cell disorders with vasoocclusive pain NOS | D57.459 Other sickle-cell disorders with crisis, unspecified Other sickle-cell disorders with (vaso-occlusive) pain NOS |
| D65 Disseminated intravascular coagulation [defibrination syndrome] | <i>Added language</i> COVID-19 associated diffuse or disseminated intravascular coagulopathy Code also, if applicable, associated condition |
| D68.69 Other thrombophilia | <i>Added language</i> COVID-19 associated hypercoagulability Code also, if applicable, associated condition |
| D68.8 Other specified coagulation defects | <i>Added language</i> COVID-19 associated coagulopathy Code also, if applicable, associated condition |
| D70 Neutropenia Use additional mucositis (J34.81, K12.3-, K92.81, N76.81) | D70 Neutropenia Code also, if applicable, mucositis (J34.81, K12.3, K92.81, N76.81) |
| D77 Other disorders of blood and blood-forming organs in disease classified elsewhere Code first: Congenital early syphilis (A50.0) | D77 Other disorders of blood and blood-forming organs in disease classified elsewhere Code first: Congenital early syphilis (A50.0-) |
| Z60.8 Other problems related to social environment | <i>Added language</i> Inadequate social support Lack of emotional support |
| Z65.8 Other specified problems related to psychosocial circumstances | <i>Added language</i> At risk for feeling loneliness |
| Z91.82 Personal history of military deployment | <i>Added language</i> Excludes2: personal history of military service (Z91.85) |

| | |
|--|--|
| Z91.89 Other specified personal risk factors, not elsewhere classified | <i>Added language</i> Increased risk for social isolation |
|--|--|

Appendix

ICD-10-CM Terms and Definitions

Excludes 1: Indicates conditions that may not be reported together. The “Excludes 1” code should not be used at the same time as the code above the note.

Excludes 2: Indicates that although the excluded condition is not part of the condition it is excluded from, the patient may have both conditions at the same time. The Excludes 2 code may be used at the same time as the code above it.

NOS: Not Otherwise Specified. This abbreviation is the equivalent of unspecified.

Use Additional Code: An additional code should be reported to provide a complete picture of the diagnosis.

Code also: More than one code may be required to fully describe the condition.